

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)

Semester 4 - Practical Notes

Pharmacology I

Complete Subject Manual

15 practicals and activities. Use the PDF bookmarks to move between practicals. Page numbers restart within each practical; the page counts below exclude the promotion pages.

Contents

No.	Practical / Activity	Pages
1	Study of Introduction to Experimental Pharmacology	2
2	Study of Instruments in Experimental Pharmacology	2
3	Study of Common Laboratory Animals	2
4	Study of Laboratory Animal Care and Welfare	2
5	Study of Common Laboratory Techniques - Simulation	2
6	Study of Routes of Drug Administration - Simulation	2
7	Study of Enzyme Induction and Phenobarbitone Sleeping Time	2
8	Study of Drugs and Frog Oesophageal Ciliary Motility	2
9	Study of Drugs and Rabbit Eye Responses	2
10	Study of Skeletal Muscle Relaxants by Rota-Rod Model	2
11	Study of Locomotor Activity by Actophotometer Model	2
12	Study of Anticonvulsant Activity: MES and PTZ Models	2
13	Study of Stereotypy and Anti-Catatonic Activity	2
14	Study of Anxiolytic Activity in Behavioural Models	2
15	Study of Local Anaesthetic Methods - Simulation	2

Study of Introduction to Experimental Pharmacology

Practical 01 | Pharmacology I

Aim

To study Introduction to Experimental Pharmacology, and interpret the recorded observations.

Principle

- Experimental pharmacology relates a controlled intervention to a defined biological response. The teaching exercise uses software/video observations.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Study aim	_____
Model	_____
Control	_____
Intervention	_____
Response endpoint	_____

Calculations and Interpretation

- Identify the independent variable, dependent response and controlled conditions.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Instruments in Experimental Pharmacology

Practical 02 | Pharmacology I

Aim

To study Instruments in Experimental Pharmacology, and interpret the recorded observations.

Principle

- An organ-bath model, force transducer, recording system and behavioural apparatus measure different response types.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Instrument	_____
Measured signal	_____
Calibration role	_____
Model application	_____

Calculations and Interpretation

- Prepare an instrument-to-response comparison; do not convert unlike signals into a single potency estimate.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Common Laboratory Animals

Practical 03 | Pharmacology I

Aim

To study Common Laboratory Animals, and interpret the recorded observations.

Principle

- Species, strain and biological characteristics affect model suitability and interpretation; the exercise uses teaching images and model records.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Species/model	_____
Relevant characteristics	_____
Experimental application	_____
Model limitation	_____

Calculations and Interpretation

- Use a structured comparison of the assigned species rather than a numerical calculation.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Laboratory Animal Care and Welfare

Practical 04 | Pharmacology I

Aim

To study Laboratory Animal Care and Welfare, and interpret the recorded observations.

Principle

- Replacement, reduction and refinement guide the teaching discussion of animal care. Housing, enrichment, monitoring and institutional oversight are part of model quality.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Care provision	_____
Purpose	_____
Observation record	_____
Welfare-monitoring point	_____

Calculations and Interpretation

- Explain the care provision and its effect on welfare and data quality.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Common Laboratory Techniques - Simulation

Practical 05 | Pharmacology I

Aim

To study Common Laboratory Techniques - Simulation, and interpret the recorded observations.

Principle

- Serum is obtained after clotting; plasma is obtained with an appropriate anticoagulant. Blood collection, anaesthesia and euthanasia are studied through the assigned simulation/video.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Technique	_____
Purpose	_____
Serum/plasma distinction	_____
Observation	_____
Oversight point	_____

Calculations and Interpretation

- Prepare a technique-purpose comparison; no live-animal intervention is performed in this exercise.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Routes of Drug Administration - Simulation

Practical 06 | Pharmacology I

Aim

To study Routes of Drug Administration - Simulation, and interpret the recorded observations.

Principle

- The administration route influences absorption, onset and first-pass exposure. The demonstration compares route-labelled response profiles.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Route label	_____
Onset	_____
Response profile	_____
Model limitation	_____

Calculations and Interpretation

- Compare onset and response using the supplied time scale; do not infer a patient dose from the model.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Enzyme Induction and Phenobarbitone Sleeping Time

Practical 07 | Pharmacology I

Aim

To study Enzyme Induction and Phenobarbitone Sleeping Time, and interpret the recorded observations.

Principle

- Increased drug-metabolizing capacity may shorten a model sleeping-time endpoint; the interpretation also depends on model and baseline controls.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Group	_____
Latency	_____
Sleeping time	_____
Control comparison	_____

Calculations and Interpretation

- Percentage change = (treated time - control time)/control time × 100.
- A shorter sleeping-time endpoint alone is not a direct enzyme-activity measurement.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Drugs and Frog Oesophageal Ciliary Motility

Practical 08 | Pharmacology I

Aim

To study Drugs and Frog Oesophageal Ciliary Motility, and interpret the recorded observations.

Principle

- The supplied simulation compares ciliary movement or transport before and after labelled interventions.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Control movement	_____
Intervention label	_____
Movement/transport endpoint	_____
Reversibility	_____

Calculations and Interpretation

- Use the same movement or transport metric for baseline and test comparisons.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Drugs and Rabbit Eye Responses

Practical 09 | Pharmacology I

Aim

To study Drugs and Rabbit Eye Responses, and interpret the recorded observations.

Principle

- The demonstration compares pupil and other labelled ocular response endpoints. Autonomic receptor effects must be interpreted with the control eye/model record.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Treatment label	_____
Pupil response	_____
Time	_____
Other assigned ocular endpoint	_____

Calculations and Interpretation

- Record change from the model baseline; distinguish pupil changes from unrelated ocular endpoints.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Skeletal Muscle Relaxants by Rota-Rod Model

Practical 10 | Pharmacology I

Aim

To study Skeletal Muscle Relaxants by Rota-Rod Model, and interpret the recorded observations.

Principle

- Time on a rotating-rod simulation reflects motor coordination/performance and can be influenced by sedation as well as muscle relaxation.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Control latency	_____
Test latency	_____
Trial number	_____
Associated model behaviour	_____

Calculations and Interpretation

- Percentage reduction in latency = $(\text{control} - \text{test}) / \text{control} \times 100$, where the control latency is nonzero.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Locomotor Activity by Actophotometer Model

Practical 11 | Pharmacology I

Aim

To study Locomotor Activity by Actophotometer Model, and interpret the recorded observations.

Principle

- Beam interruptions provide a model activity count. Sedation, stimulation and motor impairment can all alter counts.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Baseline count	_____
Treatment label	_____
Observation interval	_____
Activity count	_____

Calculations and Interpretation

- Compare counts per equal observation interval.
- Percentage change = (test count - control count)/control count × 100.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Anticonvulsant Activity: MES and PTZ Models

Practical 12 | Pharmacology I

Aim

To study Anticonvulsant Activity: MES and PTZ Models, and interpret the recorded observations.

Principle

- The two simulated models use different seizure endpoints. Their response patterns must be interpreted separately.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Model	_____
Control endpoint	_____
Test endpoint	_____
Protection criterion	_____

Calculations and Interpretation

- Calculate protection percentage from the assigned qualifying responses.
- Do not pool different seizure-model definitions as one endpoint.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Stereotypy and Anti-Catatonic Activity

Practical 13 | Pharmacology I

Aim

To study Stereotypy and Anti-Catatonic Activity, and interpret the recorded observations.

Principle

- Repetitive-behaviour scores and posture-retention endpoints measure different behaviours; changes in general movement can confound both.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Treatment	_____
Stereotypy score	_____
Posture-retention time	_____
Motor observation	_____

Calculations and Interpretation

- Analyze each assigned behavioural endpoint separately and retain the scoring scale.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Anxiolytic Activity in Behavioural Models

Practical 14 | Pharmacology I

Aim

To study Anxiolytic Activity in Behavioural Models, and interpret the recorded observations.

Principle

- Anxiety-related model choices must be interpreted alongside locomotor activity. Increased exploration does not alone establish an anxiolytic mechanism.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Model zone/choice	_____
Time spent	_____
Entries	_____
Movement control	_____

Calculations and Interpretation

- Percentage open/target-zone time = target-zone time/total scored time × 100, when that metric is assigned.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Study of Local Anaesthetic Methods - Simulation

Practical 15 | Pharmacology I

Aim

To study Local Anaesthetic Methods - Simulation, and interpret the recorded observations.

Principle

- Local anaesthetics reversibly reduce conduction in the model endpoint. Onset and duration are distinct measures.
- This exercise uses a software/video simulation or an instructor-provided dataset.
- A response depends on the model, intervention, controls and observation period; comparisons must use the same endpoint.

Materials and Apparatus

- Assigned model/video and labelled completed pharmacology observations.
- Assigned pharmacology simulation/video and completed observation dataset.
- Computer, graphing or calculation software and a structured record sheet.

Method

1. Identify the simulated preparation, control group and response being measured.
2. Record the model settings and treatment labels supplied in the exercise.
3. Review the baseline or control trace before comparing the intervention traces.
4. Read the stated response endpoint using the same definition for every group.
5. Tabulate the completed simulation observations and calculate the assigned comparison.
6. Explain the mechanism, control response and any limitation of the model.

Observation Record

Complete this record using actual laboratory findings or the provided teaching data.

Observation / parameter	Record / finding
Model method	_____
Control response	_____
Onset	_____
Duration	_____
Recovery	_____

Calculations and Interpretation

- Compare onset and duration on the same model time scale; preserve the criterion for loss and return of the response.

Result

Report the supplied simulated response, its defined comparison and the mechanism supported by the model. Label the observations as simulated.

Finding: _____

Conclusion: _____

Precautions

- Keep software units, treatment labels and endpoint definitions consistent.
- Use supplied simulation data and distinguish an illustration from an observed outcome.
- A model demonstrates an experimental principle; it does not establish an individual patient treatment.

Viva Questions

1. Why use a control response?

It separates the intervention effect from baseline variation in the simulated model.

2. Why define the endpoint before comparison?

Changing the endpoint after reviewing results can bias the interpretation.

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)