

Geriatric Tablet Quantity and Supply Calculation

Experiment 24 - Practical Notes

Name: _____ Roll no.: _____ Date: _____

Aim

To verify a dose or supply calculation using an instructor-provided fictional prescription.

Principle

Dose fraction and treatment duration determine quantity; formulation suitability is a separate essential check.

Fictional Given Order

A fictional prescription states half of a specifically authorised divisible 10 mg tablet once daily for 28 days.

Requirements

- Given fictional prescription, body weight where relevant and product strength
- Calculator, unit-conversion worksheet and independent checker

Procedure

1. Read

Identify whether the order is per dose or per day and confirm all supplied units.

2. Calculate

Write the formula and substitute only the given values.

3. Convert

Convert mg to mL or tablet quantity using the actual product strength.

4. Check

Independently verify arithmetic, product suitability, dose limits and complete instructions through the authorised source.

5. Report

Record the calculated amount and any information still requiring clarification.

Observations and Record

Field	Student calculation
Given order / weight	_____
Product strength / units	_____
Calculated mg per dose	_____
Calculated mL / tablets	_____
Independent check / clarification	_____

Worked Example

The numbers below are illustrative; enter your own observations in the record.

- Per-dose amount = $10 \times 0.5 = 5$ mg.
- Total amount over 28 days = $5 \times 28 = 140$ mg.
- Tablet quantity = $0.5 \times 28 = 14$ whole tablets.
- Verify the exact tablet is suitable for division; use the authorised alternative if division is not permitted.

Result

Calculated amount: _____. Unit and independent checks: _____. Unresolved order/product information: _____.

Precautions

- These are arithmetic exercises with given orders, not recommended regimens.
- Rounding must follow the available measuring device and authorised policy.
- Do not infer a paediatric dose from an adult dose by an unvalidated rule.

Viva Questions and Answers

1. Why distinguish per day from per dose?

Using one as the other can multiply or reduce the intended total.

2. Why verify the product strength?

The same medicine may have different concentrations or formulations.

3. Why use an independent check?

It helps detect arithmetic, unit and interpretation errors.

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)