

Quality-control Tests for Tablets Capsules and Injections

Experiment 4 - Practical Notes

Name: _____ Roll no.: _____ Date: _____

Aim

To record and assess the assigned dosage-form quality tests.

Principle

Quality tests examine defined attributes of a dosage form. Identity, content, physical uniformity, performance and microbiological quality are related but distinct.

Requirements

- Assigned dosage forms, prescribed test methods and limits, suitable calibrated equipment and supplied sterile-product test records.

Procedure

1. Map the tests

List the method and specification for each product before recording results.

2. Tablets

Measure the assigned mass variation, dimensions/mechanical strength, friability, disintegration, dissolution and content-related tests as required by the product.

3. Capsules

Record net fill and the prescribed disintegration/dissolution and content-related tests.

4. Injections

Interpret assigned assay, pH, particle, sterility, applicable endotoxin and integrity records; no infectious challenge test is performed.

Pharmaceutical Formulations

5. Decide

Separate a valid failure from an invalid measurement and record the authorised quality-review decision.

Observations and Record

Product / test	Observed value	Assigned requirement / outcome
Tablet	_____	_____
Capsule	_____	_____
Injection	_____	_____

Worked Example

The numbers below are illustrative; enter your own observations in the record.

- Friability mass loss (%) = (initial mass – final mass) / initial mass × 100, using the specified cleaned/dedusted test basis.
- Example: 6.50 g to 6.47 g gives 0.462%. Apply the actual product-specific acceptance criterion.

Result

Record the completed observations, calculations and conclusion with units. State any limitation of the observation.

Precautions

- Do not apply one numerical limit to all dosage forms or product types.
- A passing physical test does not replace an assay or sterility requirement.

Viva Questions and Answers**1. Are disintegration and dissolution identical?**

No. Break-up and release of dissolved drug are different endpoints.

2. What accompanies a pass/fail statement?

The product, method, result, units and assigned acceptance requirement.

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)