



B.Pharm Semester 1

PHARMACY | PEOPLE | A HEALTHIER TOMORROW

*Science
Meets
Solutions*

MEDICINES
DATA
IDEAS
BETTER HEALTH

Basics of Python Programming for Pharmaceutical Sciences

Unit 2

Control Structures & Functions

PPT Notes



Learn




Code




Explore

KNOWLEDGE TODAY
BETTER CARE TOMORROW



```
def calculate_dose():  
    # function  
    return dose
```



Learn • Code • Explore

Conditional Statements

The if Statement

- A conditional statement chooses which code runs by checking a condition.
- A comparison such as `age >= 18` gives True or False.

The if Statement

```
age = 20  
if age >= 18:  
    print("Adult")
```


Output: Adult

Syntax

```
if condition:  
    statement
```

- Use a colon after the condition.
- Indent the statements inside the block by four spaces.

Flow diagram




Conditional Statements

The if-else Statement

- The if-else Statement chooses between two blocks.
- If the condition is True, the if block runs.
- Otherwise, the else block runs.
- Keep if and else aligned. Indent the statements in each block by four spaces.

```
age = 16
if age >= 18:
    print("Adult")
else:
    print("Minor")
```

Output: Minor



Conditional Statements

The if-elif-else Statement

- The if-elif-else Statement checks several conditions in order.
- Python runs the first block whose condition is True. It skips the remaining alternatives.

```
marks = 75
if marks >= 90:
    print("Grade A")
elif marks >= 75:
    print("Grade B")
elif marks >= 50:
    print("Grade C")
else:
    print("Fail")
```

Output: Grade B

- elif means "else if". else handles values that match none of the earlier conditions.

Nested Conditions

Nested Conditional Statements

- Nested Conditional Statements place one if inside another.
- Example: check adulthood first, then citizenship.

```
age = 22
citizen = True
if age >= 18:
    if citizen:
        print("Eligible to vote")
    else:
        print("Not a citizen")
else:
    print("Too young")
```

Output:

Eligible to vote

- A nested block needs another level of indentation.

Second example

```
age = 16
if age < 18:
    if age >= 13:
        print("Teenager")
    else:
        print("Child")
else:
    print("Adult")
```

Output:

Teenager



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.