




Cycloalkanes

Cycloalkanes

- Cycloalkanes are a class of saturated hydrocarbons characterized by a closed ring structure made up of carbon atoms connected by single bonds.
- Each carbon atom in the ring is bonded to two other carbon atoms and two hydrogen atoms, with the general formula C_nH_{2n} , where "n" represents the number of carbon atoms in the ring.



Types and Classification

1. Monocyclic Cycloalkanes:

- These consist of a single ring of carbon atoms and are classified based on the number of carbon atoms in the ring:
 - **Cyclopropane:** 3 carbons
 - **Cyclobutane:** 4 carbons
 - **Cyclopentane:** 5 carbons
 - **Cyclohexane:** 6 carbons
 - **Cycloheptane:** 7 carbons
 - **Cyclooctane:** 8 carbons
 - **Cyclononane:** 9 carbons
 - **Cyclodecane:** 10 carbons
 - Larger rings can also be formed with more carbon atoms.

2. Polycyclic Cycloalkanes:

- These consist of two or more rings sharing carbon atoms and can be further classified into:
 - **Fused Rings:** Rings share two or more adjacent carbon atoms (e.g., decalin, bicyclohexane).
 - **Bridged Rings:** Rings share two or more non-adjacent carbon atoms, with one or more carbon atoms "bridging" the gap between the shared atoms (e.g., norbornane, bicyclo[2.2.1]heptane).
 - **Spiro Compounds:** Rings share a single carbon atom (e.g., spiro[4.4]nonane, spiro[5.5]undecane).

Applications:

- Fuel:** Cycloalkanes are components of various fuels, including gasoline, where they contribute to the overall energy content.
- Chemical Intermediates:** Cycloalkanes serve as intermediates in the synthesis of other organic compounds, including pharmaceuticals and agrochemicals.
- Solvents:** Cyclohexane, for instance, is commonly used as an industrial solvent due to its non-polar nature.
- Polymer Production:** Some cycloalkanes are used in the production of synthetic polymers and resins, which are materials with wide-ranging applications.
- Medicinal Chemistry:** Certain cycloalkane derivatives are used in drug design, especially in modifying the pharmacokinetics of drugs.

Examples

- Cyclopropane:** A highly reactive cycloalkane with high ring strain, used as an anesthetic.
- Cyclohexane:** Commonly used as a solvent and a precursor in nylon synthesis.
- Decalin:** A fused bicyclic compound used as a solvent and in the study of polycyclic cycloalkanes.
- Norbornane:** A bridged bicyclic compound used in the synthesis of polymers and pharmaceuticals.

Cycloalkanes: General Methods of Preparation and Important Chemical Reactions

General Methods of Preparation:

1. Hydrogenation of Aromatic Compounds:

- **Process:** Aromatic compounds like benzene can be hydrogenated in the presence of a catalyst (usually nickel, palladium, or platinum) under high pressure to produce cycloalkanes.
- **Example:**



2. Wurtz Reaction:

- **Process:** Haloalkanes undergo coupling reactions in the presence of sodium metal to form cycloalkanes. This method is particularly useful for synthesizing small and medium-sized rings.
- **Example:**





FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.