

Preclinical screening of Respiratory Pharmacology

Anti-Asthmatics – Preclinical Screening Methods

- **Asthma is a chronic inflammatory disease of airways characterized by:**
 - Bronchoconstriction (narrowing of airways)
 - Inflammation
 - Mucus secretion
- **Anti-asthmatic drugs work by:**
 - Dilating bronchi (bronchodilators)
 - Reducing inflammation (anti-inflammatory drugs)
 - Preventing allergic responses
- Preclinical screening identifies substances that reduce airway resistance and inflammation.

Objectives of Screening

- To evaluate bronchodilatory activity
- To assess anti-inflammatory effects in airways
- To study mechanism (β_2 agonist, leukotriene inhibition, etc.)
- To detect toxicity (especially cardiac and respiratory effects)

In Vivo Methods (Animal Models)

A. Histamine-Induced Bronchospasm Model

- **Principle:** Histamine causes bronchoconstriction.
- **Method:**
 - Expose guinea pigs to histamine aerosol
 - Measure time to onset of dyspnea (difficulty breathing)
- **Observation:** Increased time before dyspnea = bronchodilator effect
- **Importance:** Mimics acute asthma attack

B. Acetylcholine-Induced Bronchospasm

- **Principle:** Acetylcholine causes airway constriction via muscarinic receptors
- **Method:** Aerosol administration of acetylcholine
- **Observation:** Protection against bronchospasm = anticholinergic or bronchodilator activity

C. Ovalbumin-Induced Allergic Asthma Model

- **Principle:** Mimics allergic asthma using antigen exposure
- **Method:**
 - Sensitize animals (usually mice) with ovalbumin
 - Re-expose to trigger airway inflammation
- **Observation:** Reduced airway inflammation, eosinophils, mucus = anti-asthmatic effect

D. Measurement of Airway Resistance

- **Method:** Use plethysmography to measure lung function
- **Observation:** Decreased airway resistance = bronchodilation

E. Passive Cutaneous Anaphylaxis (PCA)

- **Principle:** Measures of allergic response mediated by IgE
- **Observation:** Reduced vascular permeability = anti-allergic/anti-asthmatic effect

In Vitro Methods

1. Isolated Tracheal Chain Preparation

- **Method:** Tracheal rings from animals mounted in organ bath
- **Observation:** Relaxation of pre-contracted trachea = bronchodilator activity

2. Mast Cell Stabilization Assay

- **Principle:** Mast cells release histamine during asthma
- **Method:** Induce degranulation in mast cells
- **Observation:** Inhibition of histamine release = anti-asthmatic effect

3. Leukotriene Assays

- Measure inhibition of leukotriene production (important inflammatory mediators)

Other Alternative Models

- **Zebrafish models:** Used for inflammation and respiratory movement
- **Cell cultures:** Airway epithelial cells to study cytokine release

Parameters Measured

- Airway resistance
- Bronchospasm severity
- Inflammatory cell count (eosinophils)


- Cytokine levels

Toxicological Considerations

- Cardiac stimulation (β_2 agonists)
- Tremors
- Long-term steroid effects (if anti-inflammatory drugs)

Drugs for COPD (Chronic Obstructive Pulmonary Disease) – Preclinical Screening Methods

- **COPD is a progressive lung disease characterized by:**
 - Chronic bronchitis (mucus hypersecretion)
 - Emphysema (destruction of alveoli)
 - Persistent airflow limitation



- **Drugs aim to:**
 - Dilate airways
 - Reduce inflammation
 - Improve mucus clearance

Objectives of Screening

- To evaluate bronchodilation
- To assess anti-inflammatory effects
- To study mucus secretion control
- To model chronic lung damage

In Vivo Methods (Animal Models)

A. Cigarette Smoke-Induced COPD Model

- **Principle:** Chronic exposure to cigarette smoke mimics COPD
- **Method:** Expose animals (rats/mice) to smoke over weeks/months
- **Observation:** Reduction in inflammation and lung damage = drug efficacy

B. Elastase-Induced Emphysema Model

- **Principle:** Elastase destroys alveolar walls
- **Method:** Instill elastase into lungs
- **Observation:** Prevention of alveolar destruction = protective effect

C. LPS-Induced Inflammation Model

- **Principle:** Lipopolysaccharide induces strong inflammation
- **Method:** Administer LPS into airway
- **Observation:** Reduced inflammatory markers = anti-inflammatory activity

D. Pulmonary Function Tests

- **Method:** Measure lung compliance, airway resistance
- **Observation:** Improved lung function = therapeutic effect

E. Mucus Secretion Studies

- **Method:** Measure mucus production in airway tissues
- **Observation:** Reduced mucus = beneficial in COPD

In Vitro Methods

1. Airway Smooth Muscle Studies

- Measure relaxation of bronchial muscles

2. Inflammatory Marker Assays

- **Measure cytokines like:**
 - TNF- α
 - IL-6
 - IL-8

3. Protease Inhibition Assays

- COPD involves protease-antiprotease imbalance

- Evaluate inhibition of destructive enzymes

Other Alternative Models

- **Cell cultures:** Lung epithelial and immune cells
- **Zebrafish models:** Used for inflammation studies

Parameters Measured

- Lung function (FEV-like parameters in animals)
- Inflammation level
- Alveolar damage
- Mucus secretion

Toxicological Considerations

- Long-term drug safety (chronic disease treatment)
- Immunosuppression risk
- Cardiovascular side effects

Anti-Allergic Drugs – Preclinical Screening Methods

- **Allergic** reactions occur when the immune system overreacts to harmless substances (allergens).
- **This leads to:**
 - Histamine release
 - Inflammation
 - Bronchoconstriction
 - Increased vascular permeability
- **Anti-allergic drugs work by:**
 - Blocking histamine receptors (antihistamines)
 - Stabilizing mast cells
 - Reducing immune response
- Preclinical screening focuses on identifying drugs that prevent or reduce allergic reactions.

Objectives of Screening

- To evaluate anti-histaminic activity
- To assess mast cell stabilization



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.