


Acidifiers

Acidifiers

Introduction

- Acidifiers, also known as acidulants, are substances that lower the pH of a solution, making it more acidic.
- They are used in various industries, including food, pharmaceuticals, and agriculture, for purposes such as flavor enhancement, preservation, and pH adjustment.
- Acidifiers can be classified based on their origin, chemical nature, or function.

Classification



1. Gastric Acidifiers

- **Function:** Increase the production of hydrochloric acid in the stomach to improve digestion and create a more acidic environment.
- **Uses:** Treatment of conditions like hypochlorhydria (low stomach acid) or achlorhydria (absence of stomach acid).
- **Examples:** Betaine HCl, glutamic acid HCl.

2. Urinary Acidifiers

- **Function:** Lower the pH of urine, making it more acidic.
- **Uses:** Treatment of urinary tract infections, kidney stones, or to enhance the effectiveness of certain antibiotics.
- **Examples:** Ascorbic acid (vitamin C), ammonium chloride, methenamine.

3. Systemic Acidifiers

- **Function:** Lower the pH of body fluids, promoting a more acidic environment.
- **Usage:** Rarely used in modern medicine due to potential risks, historically used for treating alkalosis (high blood pH).

- **Examples:** Hydrochloric acid, sulfuric acid.

4. Acids

- **Definition:** Broad category of substances that can donate a proton (H⁺) and lower the pH of a solution.

Types:

- A. Strong acids (e.g., hydrochloric acid, sulfuric acid)
- B. Weak acids (e.g., acetic acid, citric acid)
- C. Organic acids (e.g., acetic acid, lactic acid)
- D. Inorganic acids (e.g., phosphoric acid)

This overview provides a concise understanding of acidifiers, their functions, and common examples in various therapeutic applications.

Ammonium chloride (NH₄Cl)

Preparation:

- Ammonium chloride can be prepared by the neutralization reaction between ammonia (NH₃) and hydrochloric acid (HCl):



- Industrially, it is often produced as a byproduct of the Solvay process, which manufactures sodium carbonate (soda ash).

Properties:

- White crystalline solid with a saline taste.
- Soluble in water, with solubility increasing with temperature.
- Slightly soluble in alcohol and insoluble in acetone.
- Melting point: 338°C (640°F).
- Sublimates at around 520°C (968°F).

Storage:

- Store in a cool, dry, well-ventilated area away from heat and moisture.
- Keep in a tightly sealed container to avoid moisture absorption.

Uses:

1. **Medical:** Used as a urinary acidifier to treat kidney disorders such as kidney stones.
2. **Pharmaceuticals:** Acts as an expectorant in cough medicine to help clear mucus.
3. **Textile and Leather Industries:** Used as a mordant to help dye adhere to fabrics.
4. **Food Industry:** Serves as a flavoring agent and acidity regulator.

5. **Batteries:** Used as an electrolyte in zinc-carbon batteries.

Assay (Determination of Concentration/Purity):

Common Method - Acid-Base Titration:

1. Prepare a Standard Solution:

- Dissolve a known amount of a strong base (e.g., sodium hydroxide, NaOH) in water to create a standard solution of known concentration.

2. Take the NH_4Cl Sample:

- Accurately weigh a sample of NH_4Cl and dissolve it in a known volume of water.

3. Add an Indicator:

- Add a pH indicator (e.g., phenolphthalein) to the NH_4Cl solution. The indicator changes color when the solution reaches neutrality.

4. Titrate:

- Slowly add the NaOH standard solution to the NH_4Cl solution while stirring.
- The NH_4Cl reacts with NaOH, forming water and ammonium hydroxide (NH_4OH).
- The endpoint is indicated by the color change of the indicator, signaling the neutralization of the solution.

5. Calculate the Concentration:

- Measure the volume of NaOH used in the titration.
- Use the stoichiometry of the reaction and the volume of NaOH to calculate the concentration or purity of the NH_4Cl sample.

Dilute Hydrochloric Acid (Dil. HCl)

Preparation:

- Prepared by carefully adding concentrated hydrochloric acid (HCl) to water in a volumetric flask.
- It is crucial to add acid to water slowly to prevent excessive heat release and splashing.

Properties:

- Colorless to slightly yellow liquid with a strong, pungent odor.
- Strong acid, readily dissociating into hydrogen ions (H^+) and chloride ions (Cl^-) in solution.
- Highly corrosive, can cause severe burns on contact with skin or eyes.
- Reacts with many metals, releasing hydrogen gas and forming metal chlorides.

Storage:

- Store in a cool, well-ventilated area, away from heat sources, flames, and incompatible materials like bases, oxidizers, and organic substances.
- Keep in a tightly sealed, corrosion-resistant container, such as glass or plastic.

Uses:

1. **Laboratories:** Used as a reagent in various chemical reactions, including neutralization, precipitation, and titration.
2. **Food Industry:** Acts as a pH adjuster and acidity regulator.
3. **Cleaning Industry:** Used for descaling, rust removal, and cleaning brick and concrete surfaces.
4. **Metal Industry:** Employed in pickling, etching, and galvanizing metals.




FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.