

Volumetric analysis

Fundamentals of Volumetric Analysis

Principle

- Volumetric analysis is a quantitative analytical technique based on the stoichiometric reaction between a titrant and an analyte.
- A measured volume of titrant is added to a known volume of analyte until the reaction reaches completion—known as the **equivalence point**.
- This point is typically identified using an **indicator** or **instrumental method**.

Where is Volumetric Analysis Used?

- Determining water hardness
- Quality control in industries
- Blood and urine tests in medical labs
- Determining acidity in food or beverages
- Environmental monitoring (e.g., pollution)

Basic Tools/Equipment Used

Equipment	Description
Burette	Long, graduated glass tube with a tap at the bottom; used to add titrant dropwise.
Pipette	Used to accurately measure and transfer a fixed volume of solution (usually analyte).
Conical Flask	Flask where the titration reaction takes place.
White Tile	Placed under the conical flask to help detect color changes clearly.
Volumetric Flask	Used to prepare standard solutions of exact volume.
Funnel	Used for transferring liquids.
Indicator	A chemical that changes color at (or near) the equivalence point to signal that the reaction is complete.

Key Terms

Term	Definition
Titration	The process of slowly adding one solution to another until the reaction is complete.
Titrant	The solution of known concentration.

Analyte	The solution of unknown concentration.
Equivalence Point	The point in a titration where the number of moles of titrant equals the number of moles of analyte.
End Point	The point where the indicator shows that the reaction is complete (ideally close to equivalence point).
Standard Solution	A solution whose exact concentration is known.

Types of Volumetric Analysis

A. Acid-Base Titrations

- Involve neutralization reactions between acids and bases.
- **Example:** Titration of hydrochloric acid (HCl) with sodium hydroxide (NaOH).
- Commonly used for drug purity testing (e.g., aspirin).

B. Redox Titrations

- Based on oxidation-reduction (electron transfer) reactions.
- **Example:** Potassium permanganate (KMnO₄) vs. ferrous ions (Fe²⁺).
- Used for analyzing oxidizable or reducible substances.

C. Complexometric Titrations

- Involve the formation of stable complexes.
- **Example:** Ethylenediaminetetraacetic acid (EDTA) with metal ions.
- Useful for determining metal ion content in pharmaceutical formulations.

D. Precipitation Titrations

- Rely on the formation of an insoluble precipitate.
- **Example:** Silver nitrate (AgNO₃) with chloride ions (Cl⁻).
- Applied where precipitate formation indicates the endpoint.

Applications in Pharmaceutical Chemistry

- Assay of **Active Pharmaceutical Ingredients (APIs)**
- Determination of **substance purity**
- **Content uniformity testing** in formulations
- **Quality control and validation** of raw materials and finished products

Advantages

- High **precision** and **accuracy**

- **Cost-effective** and simple to perform
- Well-suited for **routine quality control** processes

Limitations

- Requires a **clear, stoichiometric** chemical reaction
- **Manual endpoint detection** can be subjective
- **Impurities** may interfere with accurate results




FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.