

Radiopharmaceuticals

Radiopharmaceuticals

- Radiopharmaceuticals are a specialized class of medicinal products containing radioisotopes, which are unstable atoms emitting radiation.
- They are primarily used in nuclear medicine for both diagnostic and therapeutic purposes.

Applications of Radiopharmaceuticals

1. Diagnostic Imaging

- Radiopharmaceuticals are used as imaging agents to visualize the function of specific organs or tissues.
- After administration, they accumulate in the target area and emit gamma radiation, which is detected by imaging devices like gamma cameras or PET scanners.
- This imaging helps diagnose conditions such as cancer, heart disease, and neurological disorders.

Common Diagnostic Radiopharmaceuticals:

- Technetium-99m (Tc-99m):** The most widely used radioisotope in nuclear medicine, used to study the heart, lungs, bones, and other organs.
- Fluorodeoxyglucose (FDG):** An 18F-labeled glucose analog used in PET scans to identify high metabolic activity, often indicative of cancer or inflammation.
- Gallium-68 (Ga-68):** Used in PET imaging to detect certain tumors and evaluate infection and inflammation.

2. Targeted Radiotherapy

- Radiopharmaceuticals can also deliver targeted radiotherapy, selectively targeting cancerous cells while sparing healthy tissues.
- The radiation emitted by these radioisotopes can destroy cancer cells or inhibit their growth.

Examples of Therapeutic Radiopharmaceuticals:

- Iodine-131 (I-131):** Used to treat thyroid cancer and hyperthyroidism, selectively taken up by the thyroid gland.
- Lutetium-177 (Lu-177) DOTATATE:** Targets somatostatin receptors on neuroendocrine tumors, delivering targeted radiation to these cells.
- Radium-223 (Ra-223) Dichloride:** An alpha-emitting radiopharmaceutical used to treat bone metastases in castration-resistant prostate cancer.

Regulation and Importance

- The development and use of radiopharmaceuticals are strictly regulated due to potential risks associated with radioactive materials.
- Despite the risks, they are essential in modern medicine, providing valuable information for diagnosing and treating various diseases.

Radio activity

- Radioactivity is a natural phenomenon where an unstable atomic nucleus loses energy by emitting radiation in the form of particles or electromagnetic waves, a process known as radioactive decay.
- The emitted particles or waves are known as ionizing radiation because they can ionize atoms or molecules by removing tightly bound electrons, creating charged particles (ions).

Units of Radioactivity

- Becquerel (Bq): The SI unit of radioactivity, representing one nuclear decay per second.
- Curie (Ci): An older unit where 1 Ci equals 3.7×10^{10} Bq.
- These units measure the rate of radioactive decay, not the absorbed or equivalent dose.

Applications of Radioactivity

1. Nuclear Power Generation

- Nuclear reactors use the energy released from the controlled decay of radioactive isotopes like uranium-235 and plutonium-239 to produce electricity.

2. Medical Diagnosis and Treatment

- Radiopharmaceuticals containing radioisotopes are used in nuclear medicine for imaging and treating various diseases.

3. Archaeological and Geological Dating

- Radioactive decay is used to determine the age of materials, such as carbon-14 dating for organic matter and potassium-argon dating for rocks.

4. Industrial Applications

- Radioactive isotopes are employed in industries for measuring material thickness, detecting leaks, and sterilizing equipment.

Measurement of Radioactivity


- Radiopharmaceuticals contain radioactive isotopes used in nuclear medicine for diagnostic and therapeutic purposes.

- Accurate measurement of their radioactivity is essential for patient safety, regulatory compliance, and effective diagnostic or therapeutic procedures.

Principles of Radioactivity Measurement


- **Radioactivity** is the release of energy from unstable atomic nuclei in the form of radiation.
- **Units of Radioactivity:**
 - **Becquerel (Bq):** One disintegration per second.
 - **Curie (Ci):** An older unit where $1 \text{ Ci} \approx 3.7 \times 10^{10} \text{ Bq}$.

Techniques for Measuring Radioactivity in Radiopharmaceuticals



A. Geiger-Müller Counter (GM Counter)

- The GM counter is a radiation detector used for measuring ionizing radiation, including alpha particles, beta particles, and gamma rays.
- It operates by ionizing gas within a tube to produce a measurable electrical pulse.



- Key Features: Simple, durable, and capable of detecting low levels of radiation.

Construction

1. **GM Tube:** A sealed tube filled with a gas mixture, typically argon or neon, at low pressure, with a quenching agent to prevent continuous discharge.
2. **Cathode and Anode:** The inner wall of the tube serves as the cathode, and a thin wire in the center is the anode.
3. **Window:** A thin mica or halogen window at one end allows low-energy beta particles and alpha particles to enter.

4. **High Voltage Supply:** Creates a strong electric field inside the tube.
5. **Counting Circuit:** Counts electrical pulses generated by ionization events, often providing a visual or auditory indication.

Operation


1. **Ionization:** Ionizing radiation enters the tube, ionizing the gas and creating positive ions and free electrons.
2. **Avalanche Effect:** High voltage accelerates the electrons toward the anode, causing further ionization in an avalanche effect.
3. **Pulse Generation:** The resulting surge in current is detected as an electrical pulse.
4. **Quenching:** The quenching agent prevents continuous discharge, allowing the tube to reset.
5. **Counting:** Each pulse corresponds to an ionizing event, enabling measurement of radiation intensity.

Key Features and Limitations

- **Sensitivity:** Detects various ionizing radiation types but cannot differentiate between them.
- **Dead Time:** Has a brief period after each event where it cannot detect another, potentially leading to undercounting at high radiation intensities.
- **Plateau Region:** Must be operated within a specific voltage range for accurate measurements.

B. Scintillation Counter

- Detects ionizing radiation using a scintillator that emits light when struck by radiation.
- The light is converted into an electrical signal by a photomultiplier tube (PMT).



Construction

1. **Scintillator:** Can be an inorganic crystal (e.g., sodium iodide doped with thallium, NaI(Tl)) or organic material. Inorganic scintillators have higher light output and better energy resolution.
2. **Light Guide:** A transparent material that directs light from the scintillator to the photodetector.
3. **Photodetector:** Converts emitted light into an electrical signal. Commonly uses a PMT but can also use silicon photomultipliers (SiPMs) or avalanche photodiodes (APDs).
4. **Shielding and Housing:** Prevents external light interference and may include lead shielding to block background radiation.

Operation

1. **Ionizing Event:** Radiation interacts with the scintillator, depositing energy and causing ionization or excitation.
2. **Light Emission:** The scintillator emits light as atoms return to their ground state.
3. **Light Transmission:** The light is guided to the photodetector with minimal loss.
4. **Signal Conversion:** The PMT converts light into photoelectrons, which are then multiplied to generate an electrical signal.
5. **Signal Processing:** Electronics process the signal to extract information about the radiation's energy, timing, and count rate.

C. Semiconductor Detectors

- Use semiconductor materials like silicon or germanium to directly convert ionizing radiation into an electrical signal.
- Advantages: Offer high energy resolution and are commonly used in gamma spectroscopy.

Dosimetry Techniques

1. Ionization Chambers

- **Function:** Use a gas-filled chamber with electrodes to measure ionization caused by radiation.
- **Application:** Used in medical procedures and environmental monitoring for dose rate measurements.

2. Thermoluminescent Dosimeters (TLDs)

- **Function:** Contain a material that stores energy when exposed to radiation, releasing it as light upon heating.
- **Application:** Commonly used for personal radiation monitoring and environmental measurements.

3. Film Badges



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.