

Bioavailability and Bioequivalence

Bioavailability (BA): Introduction

Definition of Bioavailability

- Bioavailability is defined as the fraction (F) of an administered drug dose that reaches systemic circulation in an unchanged form and is available for therapeutic action.
- It includes both:
 - **Extent of drug absorption** (how much drug reaches systemic circulation)
 - **Rate of absorption** (how quickly the drug reaches systemic circulation)

Types:

- **Absolute Bioavailability (F)** – Comparison with an intravenous (IV) dose.
- **Relative Bioavailability** – Comparison between two extravascular routes or formulations.

Key Concepts:

- Drug must cross multiple biological barriers to reach systemic circulation.
- Not all the administered dose may reach systemic circulation intact.
- Influences drug efficacy, onset of action, and duration.

Objectives of Bioavailability Studies

- Bioavailability studies are conducted to:
 1. **Compare Different Drug Formulations** – Ensure consistency between different formulations of the same drug.
 2. **Evaluate Drug Absorption** – Assess how much drug enters the bloodstream after administration.
 3. **Determine Optimal Dosage Forms** – Choose the best formulation (tablet, capsule, solution, etc.).
 4. **Assess the Impact of Food or Other Factors** – Understand how food, pH, or metabolic variations affect drug absorption.
 5. **Establish Therapeutic Equivalence** – Ensure generic formulations provide the same therapeutic effect as brand-name drugs.

Importance in Drug Development and Regulation

- **Drug Discovery and Development:** Understanding bioavailability is critical during drug formulation development to ensure the drug reaches systemic circulation effectively.
- **Therapeutic Effectiveness:** Drugs with poor bioavailability may have reduced or inconsistent therapeutic effects.

- **Regulatory Approval:** Regulatory agencies like the FDA (US), EMA (Europe), and CDSCO (India) require bioavailability and bioequivalence data to approve generic formulations.
- **Interchangeability:** Bioequivalence ensures that two products can be substituted without compromising efficacy or safety.

Factors Affecting Bioavailability

A. Drug-Related Factors

- **Solubility** – Poor solubility reduces absorption.
- **Molecular Size** – Larger molecules have lower absorption.
- **Chemical Stability** – Degradation in GI tract reduces bioavailability.
- **Ionization State** – **Ionized drugs** at physiological pH have lower absorption.

B. Patient-Related Factors

- **Age** – Alters drug metabolism and absorption.
- **Genetics** – Variations in enzymes affect bioavailability.
- **Disease State** – Conditions impact drug absorption & metabolism.
- **Drug Interactions** – Can enhance or inhibit drug absorption.
- **Food Interactions** – Food can alter GI pH and drug solubility.

C. Formulation-Related Factors

- **Dosage Form** – Tablets, capsules, liquids affect absorption.
- **Drug Release Rate** – Affects dissolution and absorption.
- **Excipients** – Ingredients impact drug dissolution & uptake.
- **Particle Size** – Smaller particles dissolve faster, improving bioavailability.
- **Polymorphism** – Different crystal forms affect solubility.

Types of Bioavailability

A. Absolute Bioavailability (F_a)

Definition:

- Absolute bioavailability refers to the fraction of an administered dose of a drug that reaches the systemic circulation in an unchanged form, compared to the same dose administered intravenously (IV).

Why IV as Reference?

- IV administration has 100% bioavailability by definition because the entire dose directly enters the bloodstream, bypassing absorption barriers and first-pass metabolism.

Formula:

$$F_{abs} = \frac{AUC_{extravascular} \times Dose_{IV}}{AUC_{IV} \times Dose_{extravascular}}$$

➤ Where:

- AUC = Area Under the Curve (plasma concentration-time profile)

Interpretation:

- If **F = 1.0 (or 100%)**: Drug is fully available.
- If **F < 1.0**: Some drug is lost due to incomplete absorption, first-pass metabolism, or degradation in the GI tract.

Example:

- If a 100 mg oral dose produces an AUC of 40, and a 100 mg IV dose gives an AUC of 100:

$$F_{abs} = \left(\frac{40}{100} \right) \times 100 = 40\%$$

B. Relative Bioavailability (F_r)**Definition:**

- Relative bioavailability is the comparison of bioavailability between two non-IV drug formulations or routes of administration.

Use Cases:

- Comparing a generic formulation to a brand-name product.
- Comparing oral tablet vs. oral suspension, or capsule vs. tablet, etc.

Formula:

$$AF_{rel} = \frac{AUC_{Formulation A} \times Dose_{Formulation B}}{AUC_{Formulation B} \times Dose_{Formulation A}}$$

Example:

- Used in **bioequivalence studies** to determine if two formulations are therapeutically similar.

Bioavailability Study Protocol

- A bioavailability study protocol is a structured and regulatory-compliant document that outlines the objectives, design, methodology, statistical analysis, and ethical considerations for evaluating the bioavailability of a drug.

Below is a detailed breakdown:

Objectives

- To determine the rate and extent of absorption of a drug.
- To evaluate the effect of formulation, food, or other variables on absorption.
- May also include comparison to IV formulation for absolute bioavailability.

Study Design

1. Study Type:

- **Single-dose** or **multiple-dose**
- **Crossover** or **parallel** design

2. Crossover Design (most common):

- Each subject receives both test and reference formulations with a washout period in between.
- **Advantages:** Minimizes variability due to intra-subject differences.

3. Washout Period:

- Duration is generally 5–7 half-lives of the drug to avoid carryover effects.

Subjects

Inclusion Criteria

- **Healthy volunteers**, age 18–55 years
- **BMI within normal range**
- **No history** of hypersensitivity to the drug

Exclusion Criteria

- Existing illness
- Recent participation in other clinical trials
- Use of **enzyme inducers/inhibitors**

Dosing and Drug Administration

- **Exact dose** based on formulation and strength
- **Standardized meal** conditions (fasted or fed state)



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.